

NORMAL TWINKLIGHTS



HL 530L WHITE
• 15W 120 LED



HL 530L GREEN
• 15W 120 LED



HL 530L RED
• 17W 120 LED



HL 530L BLUE
• 15W 120 LED



HL 530 WHITE
• 65W 120 Ricebulb



HL 530 COLORFULL
• 65W 120 Ricebulb



- Operation Voltage: 220-240V / 50-60Hz
- 10m
- With Controller



CURTAIN TWINKLIGHTS



HL 532L WHITE
• 90W 925 LED



HL 532L GREEN
• 90W 925 LED




HL 532L RED
• 108W 925 LED



HL 532L BLUE
• 90W 925 LED



HL 532 WHITE
• 403W 925 Ricebulb



- Operation Voltage: 220-240V / 50-60Hz
- h: 2,5m l: 3m



STRING TWINKLIGHTS



HL 531L WHITE
• 7W 100 LED



HL 531L GREEN
• 7W 100 LED



HL 531L RED
• 9W 100 LED



HL 531L BLUE
• 7W 100 LED





- Operation Voltage: 220-240V / 50-60Hz
- 10m



HL 540L

WATERPROOF
5m ROLL
1m/60 LED



- Operation Voltage:
AC 220-240V / 50-60Hz, DC12V



HL 541L

NONWATERPROOF
5m ROLL
1m/60 LED

- Operation Voltage:
AC 220-240V / 50-60Hz, DC12V



Led Drivers

HL 547



- Operation Voltage:
AC 220-240V / 50-60Hz, DC 12V
- Output Power: 12W
- Output Current: 1A
- Rubber Housing



HL 548



- Operation Voltage:
AC 220-240V / 50-60Hz, DC 12V
- Output Power: 36W
- Output Current: 3A
- Rubber Housing



HL 549



- Operation Voltage:
AC 220-240V / 50-60Hz, DC 12V
- Output Power: 60W
- Output Current: 5A
- Rubber Housing




ROPELIGHT


2 LINE / 3 LINE
100 m roll
13 mm
10 accessories



CLEAR



YELLOW



RED



BLUE



GREEN



COLORFULL

• Operation Voltage:
220-240V / 50-60Hz



LED ROPELIGHT

2 LINE / 3 LINE
100 m roll
13 mm
10 accessories



CLEAR



YELLOW



RED



BLUE



GREEN



COLORFULL

• Operation Voltage:
220-240V / 50-60Hz



Ropelight Controllers

3 LINE

10 m



• Operation Voltage:
220-240V / 50-60Hz
• 8 Programs
• Max. Power: 200W



3 LINE

100 m



• Operation Voltage:
220-240V / 50-60Hz
• 8 Programs
• Max. Power: 1600W



HL 332L

NEW



Rechargeable Led Torch

- Operation Voltage: 220-240V / 50-60Hz
- 5x1500 MCD 110° Bright Led Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours



HL 333L

NEW



Rechargeable Led Torch

- Operation Voltage: 220-240V / 50-60Hz
- 9x1500 MCD 110° Bright Led Torch
- 4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours



HL 331L

NEW



Rechargeable Led Torch

- Operation Voltage: 220-240V / 50-60Hz
- 4x1500 MCD 110° Bright Led Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours



HL 318L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 9x1500 MCD 110° Bright Led Light
- 4V 0.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Led: 8 Hours
3 Led: 16 Hours



HL 324L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 19x1500 MCD 110° Bright Led Torch
- 6V 4.5Ah Rechargeable Sealed-Acid Battery
- Duration Time: 12 Hours



HL 325L



Rechargeable Led Torch

- Operation Voltage: 220-240V / 50-60Hz
- 12x1500 MCD 110° Bright Led Torch
- 4V 3.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 12 Hours



HL 327L



Rechargeable Led Torch

- Operation Voltage: 220-240V / 50-60Hz
- 7x1500 MCD 110° Bright Led Torch
- 4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 8 Hours



HL 300



Rechargeable Wall-Mounted Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 1 x 20W
- 6V 4.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 3,5 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 301



Rechargeable Wall-Mounted Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 2 x 20W
- 6V 4.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube 3,5 Hours
2 Tubes 2 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 302



Rechargeable Wall-Mounted Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 2 x 8W
- 6V 4.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube 6,5 Hours
2 Tubes 3 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 306



Rechargeable Exit & Safety Emergency Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 1 x 6W
- 2x4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 306L



Rechargeable Exit & Safety Emergency Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 18x1500 MCD 110° Bright Led Light
- 2x4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 312L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 60x1500 MCD 110° Bright Led Light
- 4x4V 1Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 10 Hours
Step 2: 4 Hours



HL 308



Rechargeable Exit & Safety Emergency Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 1 x 8W
- 2x4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 308L



Rechargeable Exit & Safety Emergency Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright Led Light
- 2x4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 313L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 32x1500 MCD 110° Bright Led Light
- 2x4V 1Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 6 Hours
Step 2: 3 Hours



HL 307



Rechargeable Mosquito-Killer

- Operation Voltage: 220-240V / 50-60Hz
- 7W UV
- 6V 4.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5,5 Hours
- 12V DC Adaptor



HL 305



Rechargeable 360° Light Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 2 x 6W
- Replaceable 6V 4.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube 7.5 Hours 2 Tubes 3.5 Hours



HL 320L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 36x1500 MCD 110° Bright Led Light
- 4x4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Line 12 Hours 2 Lines 6 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 321L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 60x1500 MCD 110° Bright Led Light
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Line 22 Hours 2 Lines 12 Hours 3 Lines 8 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 322L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright Led Light
- 6V 2.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Line 32 Hours 2 Lines 20 Hours 3 Lines 13 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 303



Rechargeable Wall-Mounted Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 2 x 8W
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube 5 Hours
2 Tubes 2.5 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 323L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 35x1500 MCD 110° Bright Led Light
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time: 15 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up



HL 310L



Rechargeable Led Night Light (E27)

- Operation Voltage: 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright Led Light
- 4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Emergency & Automatic Light-Up
- AC / DC Operated



HL 319L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 18x1500 MCD 110° Bright Led Light
- 3x1500 MCD 110° Bright Led Torch
- 6V 4.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: For 18 Led 35 Hours
For 3 Led 50 Hours



HL 326L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 21x1500 MCD 110° Bright Led Light
- 3x1500 MCD 110° B right Led Torch
- 6V 4.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: For 21 Led 35 Hours
For 3 Led 70 Hours



HL 316L



Rechargeable Led Night & Desk Light

- Operation Voltage: 220-240V / 50-60Hz
- 16x1500 MCD 110° Bright Led Light
- 2x4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- AC / DC Operated
- Light Adjusting



HL 317L



Rechargeable Led Lantern With Night Sensor

- Operation Voltage: 220-240V / 50-60Hz
- 3x1500 MCD 110° Bright Led Light
- 4V 0.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: 12 Hours



HL 329L



Rechargeable Led Lantern

- Operation Voltage: 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright Led Light
- 4V 2.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 10 Hours
- 360° Light Distribution
- Light Adjusting



HL 330L



Emergency Exit & Safety Led Lamp

- Operation Voltage: 220-240V / 50-60Hz
- 6x1500 MCD 110° Bright Led Light
- 3.6V 360mAh Rechargeable Ni-Cd Battery



HL 043

BLUE
RED
GREEN

NEW



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 036

BLUE
PINK
GREEN



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 042

BLUE
ORANGE
YELLOW



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 038

BLUE
PINK
YELLOW



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 041

BLUE
PINK
YELLOW



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 037

BLUE
PINK
GREEN



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 039

BLUE
PINK
YELLOW



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 040

BLUE
PINK
YELLOW



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 016

BLACK
WHITE
RED
GREY
BLUE



- Operation Voltage: 220-240V / 50-60Hz
- Max 9W



HL 069

BLACK
WHITE
RED
GREY



- Operation Voltage: 220-240V / 50-60Hz
- Max 11W



HL 052

CLEAR
BLUE
PURPLE
GREEN
ORANGE



- Operation Voltage: 220-240V / 50-60Hz
- Max 40W



HL 028

BLACK
BLUE
GREEN
RED
SILVER
WHITE



- Operation Voltage: 220-240V / 50-60Hz
- Max 20W



HL 027

BLACK
BLUE
GREEN
GREY
RED
SILVER
WHITE



- Operation Voltage: 220-240V / 50-60Hz
- Max 20W



HL 065

BLACK
BLUE
GREEN
RED
WHITE



- Operation Voltage: 220-240V / 50-60Hz 12V
- Max 20W



HL 051

BLACK
BLUE
GREEN
RED
SILVER



- Operation Voltage: 220-240V / 50-60Hz
- Max 15W (For ESL)
- Max 40W



HL 068

BLACK
WHITE
RED



- Operation Voltage: 220-240V / 50-60Hz
- Max 15W (For ESL)
- Max 40W



HL 074

BLACK
WHITE
RED



- Operation Voltage: 220-240V / 50-60Hz
- Max 20W (For ESL)
- Max 60W



HL 067

BLACK
WHITE
RED



- Operation Voltage: 220-240V / 50-60Hz
- Max 60W



HL 050

BLACK
WHITE
RED
BLUE



- Operation Voltage: 220-240V / 50-60Hz
- Max 60W



HL 090

GREEN
BLUE



- Operation Voltage: 220-240V / 50-60Hz
- Max 60W



HL 991L **NEW**

WHITE
BLUE
GREEN
PINK



• Operation Voltage: 220-240V / 50-60Hz

HL 992L **NEW**

WHITE
BLUE
GREEN
PINK



• Operation Voltage: 220-240V / 50-60Hz

HL 993L **NEW**

WHITE
BLUE
GREEN
PINK



• Operation Voltage: 220-240V / 50-60Hz

HL 994L **NEW**

WHITE
BLUE
GREEN
PINK



• Operation Voltage: 220-240V / 50-60Hz

HL 990L **NEW**

WHITE
BLUE
GREEN
PINK



• Operation Voltage: 220-240V / 50-60Hz

HL 980

WHITE
BLUE
YELLOW
RED
GREEN



• Operation Voltage: 220-240V / 50-60Hz
• 1W

HL 981

WHITE
(LANDSCAPE)



• Operation Voltage: 220-240V / 50-60Hz
• 1.5W

HL 982

WHITE
BLUE
YELLOW
RED
GREEN



• Operation Voltage: 220-240V / 50-60Hz
• 3W

HL 983

WHITE
BLUE
YELLOW
RED
GREEN



• Operation Voltage: 220-240V / 50-60Hz
• 1W

HL 984

WHITE
BLUE
YELLOW
RED
GREEN



• Operation Voltage: 220-240V / 50-60Hz
• 5-7W

HL 985

WHITE
BLUE
YELLOW
RED
GREEN



• Operation Voltage: 220-240V / 50-60Hz
• 1.5W

HL 986

BLUE
YELLOW
ORANGE
GREEN
BLACK



• Operation Voltage: 220-240V / 50-60Hz
• 1W

Floor Lamps

HL 080

WHITE
BLUE
GREEN
ORANGE




• Operation Voltage: 220-240V / 50-60Hz
• Max 100W



HL 081

WHITE



• Operation Voltage: 220-240V / 50-60Hz
• Mother: E27 Max 100W
• Baby: E14 Max 40W



HL 082

WHITE



• Operation Voltage: 220-240V / 50-60Hz
• Mother: E27 Max 100W
• Baby: E14 Max 40W

